



Claims

1. A compound of formula (Ia) or (Ib)



or



5

(Ia)

(Ib)

wherein:

one of X and Y represents S, and the other represents O or S;

R<sup>1</sup> represents hydrogen or C1 to 6 alkyl;

10 R<sup>2</sup> represents hydrogen or C1 to 6 alkyl; said alkyl group being optionally substituted by:  
 i) a saturated or partially unsaturated 3- to 7-membered ring optionally incorporating one or two heteroatoms selected independently from O, N and S, and optionally incorporating a carbonyl group; said ring being optionally substituted by one or more substituents selected from halogen, hydroxy, C1 to 6 alkoxy and C1 to 6 alkyl; said alkyl being optionally  
 15 further substituted by hydroxy or C1 to 6 alkoxy; or  
 ii) C1 to 6 alkoxy; or  
 iii) an aromatic ring selected from phenyl, furyl or thienyl; said aromatic ring being optionally further substituted by halogen, C1 to 6 alkyl or C1 to 6 alkoxy;


R<sup>3</sup> represents hydrogen or C1 to 6 alkyl;

20 R<sup>4</sup> represents halogen, C1 to 6 alkyl substituted by one or more halogen atoms, C1 to 6 alkoxy or C1 to 6 thioalkoxy; said alkoxy or thioalkoxy group being optionally further substituted by halogen or OH;  
 and pharmaceutically acceptable salts thereof.

25 2. A compound according to Claim 1 wherein X represents S and Y represents O.


3. A compound according to Claim 1 or Claim 2 wherein  $R^3$  represents H.
4. A compound according to any one of Claims 1 to 3 wherein  $R^2$  represents optionally substituted C1 to 6 alkyl.
5. A compound of formula (Ia) or (Ib), according to Claim 1, or a pharmaceutically acceptable salt thereof, for use as a medicament.
6. A pharmaceutical composition comprising a compound of formula (Ia) or (Ib) according to Claim 1, or a pharmaceutically acceptable salt thereof, optionally in admixture with a pharmaceutically acceptable adjuvant, diluent or carrier.
7. A method of treating, or reducing the risk of, diseases or conditions in which inhibition of the enzyme MPO is beneficial which comprises administering to a person suffering from or at risk of, said disease or condition, a therapeutically effective amount of a compound of formula (Ia) or (Ib), as defined in any one of Claims 1 to 4, or a pharmaceutically acceptable salt thereof.
8. The use of a compound of formula (Ia) or (Ib) as defined in any one of Claims 1 to 4, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament, for the treatment or prophylaxis of diseases or conditions in which inhibition of the enzyme MPO is beneficial.
9. The use of a compound of formula (Ia) or (Ib) as defined in any one of Claims 1 to 4, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament, for the treatment or prophylaxis of neuroinflammatory disorders.
10. A process for the preparation of a compound of formula (Ia) or (Ib), as defined in any one of Claims 1 to 4, or a pharmaceutically acceptable salt, enantiomer, diastereomer or racemate thereof, wherein the process comprises:

(a) reaction of a compound of formula (IIa) or (IIb)



(IIa)

or




(IIb)

wherein  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are as defined in formula (Ia) or (Ib),  $X$  represents O or S and  $Y$  represents O;


with a sulphurising compound such as Lawesson's reagent or phosphorus pentasulphide; to give a corresponding compound wherein  $Y$  represents S; or

(b) reaction of a diamine of formula (IIIa) or (IIIb)



(IIIa)

or



(IIIb)

wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $X$  and  $Y$  are as defined in formula (Ia) or (Ib);

with a trialkylorthoester or with an alpha-halo-substituted carboxylic acid or anhydride;

and where necessary converting the resultant compound of formula (Ia) or (Ib), or another salt thereof, into a pharmaceutically acceptable salt thereof; or converting the resultant compound of formula (Ia) or (Ib) into a further compound of formula (Ia) or (Ib); and where desired converting the resultant compound of formula (Ia) or (Ib) into an optical isomer thereof.